

Product datasheet

anti-Cytomegalovirus p65 mouse monoclonal, CMV-221, purified

Short overview

Cat. No. 691504

Quantity1 ml (100 μ g/ml)Concentration100 μ g/ml

Product description

HostMouseAntibody TypeMonoclonalIsotypeIgG1 kappaCloneCMV-221

ImmunogenRecombinant CMV-p65 proteinFormulationPBS with 0.02% sodium azide

Conjugate Unconjugated

Purification Affinity chromatography

Storage 2-8°C

Intended use Research use only

Application ELISA, FACS, ICC/IF, IHC

Reactivity CMV

Applications

ELISA Assay dependent

 Flow Cytometry (FACS)
 0.5-1.0 μg/million cells in 0.1 ml

 Immunocytochemistry (ICC)
 1:100-1:200 (0.5-1.0 μg/ml)

 Immunohistochemistry (IHC) - frozen
 1:50-1:100 (1-2 μg/ml)

Background

Ten to forty percent of the patients with acquired immunodeficiency syndrome (AIDS) develop cytomegalovirus (CMV) infections. In some patients with AIDS, CMV is detected in the bronchoalveolar lavage fluid (BALF), urine, and other specimens, even when there are no symptoms of CMV disease. An indicator of active CMV infection is needed to facilitate the diagnosis of CMV disease in patients with AIDS or HIV infection. CMV p65 antigen was detected in the leukocytes of both the peripheral blood and BALF during the early phase of CMV disease.

Positive control: CMV-infected cells or tissues.

Product images



anti-Cytomegalovirus p65 mouse monoclonal, CMV-221, purified