

Product datasheet

anti-Drebrin mouse monoclonal, MX823, supernatant

Short overview

 Cat. No.
 651128

 Quantity
 5 ml

Product description

HostMouseAntibody TypeMonoclonalIsotypeIgG1CloneMX823

Immunogen Synthetic c-terminal peptide (aa632-649) coupled to KLH

Formulation Contains 0.09% sodium azide

UniprotID Q16643 8 (Human)

Synomym Developmentally-regulated brain protein, DBN1

Conjugate Unconjugated

Purification Hybridoma cell culture supernatant

Storage Short term at 2-8°C; long term storage in aliquots at -20°C; avoid freeze/thaw cycles

Intended use Research use only
Application ICC/IF, IHC, IP, WB

Reactivity Bovine, Dog, Human, Mouse, Rat

Applications

Immunocytochemistry (ICC) Assay dependent

Immunohistochemistry (IHC) - frozen 1:10-1:50

Immunoprecipitation (IP) Assay dependent

Western Blot (WB) 1:100

Background

MX823 specifically reacts with drebrin, a widespread actin-associating protein of 70 kD (SDS-PAGE mobility shows Mr 120,000). It is enriched at junctional plaques, defining a specific microfilament anchorage system in polar epithelial cells. Positive staining was found in many tissues, including diverse epithelia and carcinoma (e.g. in epidermis basal cells are positive, whereas overlying cells are negative; also positive: regenerating epithelium during wound healing; basal cell carcinoma; skin melanoma), specific types of endothelia and smooth muscle; especially prominent in the mesangial cells of renal glomeruli and in the Sertoli cells of testis. Also positive: epithelia of hair follicles and eccrine sweat glands. Consistently negative were, however, hepatocytes and cross-striated muscle. Reactivity on cultured cell lines: primary human keratinocytes, U333, MCF-7, SV80, B16 (mouse melanoma cells).

Product images



anti-Drebrin mouse monoclonal, MX823, supernatant

References

Publication	Species	Application
Peitsch, W. K. et al. Drebrin, an Actin-Binding, Cell-Type	human	WB,IHC (frozen),ICC-IF,IEM
Characteristic Protein: Induction and Localization in Epithelial		
Skin Tumors and Cultured Keratinocytes. J. Invest. Dermatol.		
<u>125, 761-774 (2005).</u>		
Uddin, B. et al. The human phosphatase CDC14A modulates	human	WB
primary cilium length by regulating centrosomal actin		
nucleation. EMBO.Rep. 20, (2019)		
Domke, L and Franke, W. The cell-cell junctions of	bovine	ICC-IF
mammalian testes, Cell Tissue Res, 375, 451-482, (2019)		