

## **Product datasheet**

anti-Cyclin-Dependent Kinase 4 mouse monoclonal, DCS-156, liquid, purified, sample

#### Short overview

 Cat. No.
 690096S

 Quantity
 200 μl

Concentration 50 μg/ml (10 μg)

### **Product description**

HostMouseAntibody TypeMonoclonalIsotypeIgG1CloneDCS-156

ImmunogenHuman recombinant full-length cdk4 polypeptideFormulationPBS pH 7.4 with 0.09% sodium azide and 0.5% BSAUniprotIDP11802 (Human),P30285 (Mouse),P35426 (Rat)

Synomym Cyclin-dependent kinase 4, EC 2.7.11.22, Cell division protein kinase 4, PSK-J3, CDK4

**Conjugate** Unconjugated

**Purification** Affinity chromatography

Storage Short term at 2-8°C; long term storage in aliquots at -20°C; avoid freeze/thaw cycles

Intended use Research use only

**Application** WB

Reactivity Human, Mouse, Rat


### **Applications**

Western Blot (WB) 1:50-1:500 (0.1-1 μg/ml)

### Background

DCS-156 reacts specifically with cdk4 protein present predominantly in G1 phase of cell cycle; it does not cross-react with cyclins. In immunohistochemical application on frozen sections of head and neck carcinoma (oropharynx and hypopharynx carcinoma) and cervix DCS-156 shows distinct nuclear staining, especially in tumor areas of enhanced proliferation. Epitope recognized: aa 270-290.

### Product images



Western blot analysis of human HeLa cell lysate with anti-Cyclin-Dependent Kinase 4 antibody. Western blot analysis was performed on either 5  $\mu$ g or 10  $\mu$ g of HeLa lysate. Cells were lysed in PBS by homogenization. The PVDF membrane was blocked with 5% dry milk in PBST for 1 h at RT. The primary antibody anti-Cyclin-Dependent Kinase 4 mouse monoclonal, DCS-156 (Cat. No. 690096) was diluted in blocking buffer (antibody concentration 0.5  $\mu$ g/ml) and incubated for 1 h at RT. The secondary antibody goat anti-mouse IgG polyclonal, HRP conjugate was also diluted in blocking buffer (antibody concentration 0.2  $\mu$ g/ml) and incubated for 1 h at RT. The bands were visualized by chemiluminescent detection using PierceTM ECL Western Blotting Substrate.

# References

Publication	Species	Application
Lukas, C., Jensen, S. K., Bartkova, J., Lukas, J. & Bartek, J.	human,mouse	WB,IHC (paraffin),ICC-IF
Immunohistochemical analysis of the D-type cyclin-dependent		
kinases Cdk4 and Cdk6, using a series of monoclonal		
antibodies. Hybridoma 18, 225–34 (1999).		