

## Product datasheet

anti-AAV5 (intact particle) mouse monoclonal, ADK5b, lyophilized, purified

### Short overview

<b>Cat. No.</b>	610149
<b>Quantity</b>	50 µg
<b>Concentration</b>	50 µg/ml after reconstitution with 1 ml dist. water

### Product description

<b>Host</b>	Mouse
<b>Antibody Type</b>	Monoclonal
<b>Isotype</b>	IgG2b kappa
<b>Formulation</b>	Lyophilized; reconstitute in 1 ml dist. water (final solution contains 0.09% sodium azide, 0.5% BSA in PBS buffer, pH 7.4)
<b>Binding affinity</b>	KD value (AAV5) = 6.0E-11 M
<b>Conjugate</b>	Unconjugated
<b>Purification</b>	Affinity chromatography
<b>Storage before reconstitution</b>	2-8°C until indicated expiry date
<b>Storage after reconstitution</b>	Up to 3 months at 2-8°C; long term storage in aliquots at -20°C; avoid freeze/thaw cycles
<b>Intended use</b>	Research use only
<b>Application</b>	Dot blot, ELISA, ICC/IF, IP, Neutralization assay
<b>Reactivity</b>	AAV5
<b>No reactivity</b>	AAV1, AAV2, AAV3, AAV4, AAV6, AAV8, AAV9, AAVDJ, AAVrh10, AAVrh74

### Applications

<b>Dot Blot</b>	1:500 (0.1 µg/ml; non-denaturing conditions)
<b>ELISA</b>	Assay dependent
<b>Immunocytochemistry (ICC)</b>	1:20
<b>Immunoprecipitation (IP)</b>	1:5
<b>Neutralization Assay</b>	EC50 ~9 ng/ml (AAV5) - assay dependent

### Background


For characterization of different stages of infection and very useful for the analysis of the AAV5 assembly process. ADK5b specifically reacts with intact adeno-associated virus 5 particles, empty and full capsids. Recognizes a conformational epitope of assembled capsids, not present in denatured capsid proteins and native but unassembled capsid proteins. The antibody cannot be used for immunoblotting. The antibody is useful for neutralizing experiments.

Limited Use Label License: Research Use Only Product is exclusively licensed to PROGEN Biotechnik GmbH. The use of these products for the development, manufacturing and sale of secondary products/derivatives which are based on the purchased products and/or which include the purchased product require a royalty based sub-license agreement.


## Product images



anti-AAV5 (intact particle) mouse monoclonal, ADK5b, lyophilized, purified



Dot blot analysis of native AAV1-AAV9, AAVrh10, AAVDJ capsids (1E+09-1E+10 capsids) and denatured AAV5 capsids (1E+09-1E+10 capsids, denatured at 95°C for 10 min in sample buffer). The nitrocellulose membrane was blocked with 5% dry milk in PBST (PBS + 0.1% Tween 20) for 1 h at RT. The primary antibody anti-AAV5 (intact particle) mouse monoclonal, ADK5b was diluted in blocking buffer (antibody concentration 100 ng/ml) and incubated for 1 h at RT. The secondary antibody goat anti-mouse IgG HRP was also diluted in blocking buffer (antibody concentration 200 ng/ml) and incubated for 1 h at RT. The bands were visualized by chemiluminescent detection using Pierce™ ECL Plus Western Blotting Substrate.



Neutralization of AAV5-GFP vectors with the ADK5b antibody. AAV infection was shown in HeLa cells and photos (GFP, CPE, merge) were taken ~48 h post infection. Neutralization was enhanced with increasing ADK5b concentration.

## References

Publication	Species	Application
<a href="#">Silveria, M. A., Large, E. E., Zane, G. M., White, T. A. &amp; Chapman, M. S. The structure of an aav5-aavr complex at 2.5 Å... resolution: Implications for cellular entry and immune neutralization of aav gene therapy vectors. Viruses 12, (2020).</a>	AAV5	neutralization
<a href="#">Emmanuel, S. N., Mietzsch, M., Tseng, Y. S., Smith, J. K. &amp; Agbandje-Mckenna, M. Parvovirus Capsid-Antibody Complex Structures Reveal Conservation of Antigenic Epitopes across the Family. Viral Immunol. 34, 3â€“17 (2021).</a>	AAV5	binding region
<a href="#">Emmanuel, S. N. et al. Structurally Mapping Antigenic Epitopes of Adeno-associated Virus 9: Development of Antibody Escape Variants. J. Virol. 96, (2022).</a>	AAV5	dot blot
<a href="#">Jose, A. et al. High-Resolution Structural Characterization of a New Adeno-associated Virus Serotype 5 Antibody Epitope toward Engineering Antibody-Resistant Recombinant Gene Delivery Vectors. J. Virol. 93, 1394â€“1412 (2019).</a>	AAV5	cryoEM, dot blot
<a href="#">Kuck, D., Kern, A. &amp; Kleinschmidt, J. A. Development of AAV serotype-specific ELISAs using novel monoclonal antibodies. J. Virol. Methods 140, 17â€“24 (2007).</a>	AAV5	dot blot,IP