

Product datasheet

anti-Desmoplakin 1/2 mouse monoclonal, DP1 + 2-2.15, liquid, purified, sample

Short overview

Cat. No.	690003S
Quantity	200 µl
Concentration	50 µg/ml (10 µg)

Product description

Host	Mouse
Antibody Type	Monoclonal
Isotype	IgG1
Clone	DP1 + 2-2.15
Immunogen	Bovine desmoplakin 1 + 2
Formulation	PBS pH 7.4 with 0.09% sodium azide and 0.5% BSA
UniprotID	A0A3Q1MR22 (Bovine), P15924 (Human), E9Q557 (Mouse), F1LMV6 (Rat)
Synonym	Desmoplakin, DP, 250/210 kDa paraneoplastic pemphigus antigen, DSP
Conjugate	Unconjugated
Purification	Affinity chromatography
Storage	Short term at 2-8°C; long term storage in aliquots at -20°C; avoid freeze/thaw cycles
Intended use	Research use only
Application	ICC/IF, IHC, WB
Reactivity	Bovine, Chicken, Human, Mouse, Rat

Applications


Immunocytochemistry (ICC)	Assay dependent
Immunohistochemistry (IHC) - frozen	1:10-1:50 (1-5 µg/ml)
Immunohistochemistry (IHC) - paraffin	1:10-1:50 (1-5 µg/ml, microwave treatment recommended)
Western Blot (WB)	Assay dependent

Background

DP1 + 2-2.15 shows distinct punctate membrane staining of different epithelia. Tumors specifically detected: primary and metastatic carcinoma and meningioma. Polypeptides reacting: Desmoplakin 1 and 2 (Mr 250,000 and 215,000).


The epitope recognized by clone DP1 + 2-2.15 is mapped to the N-terminus of the rod domain (Bornslaeger, E. A., 1996). Bornslaeger, E. A. Breaking the connection: displacement of the desmosomal plaque protein desmoplakin from cell-cell interfaces disrupts anchorage of intermediate filament bundles and alters intercellular junction assembly. J. Cell Biol. 134, 9851001 (1996).

Product images




© PROGEN in cooperation with Uniklinik Heidelberg, Dr. Jochen Hess

IHC of human uvula (copyright: PROGEN in cooperation with Uniklinik Heidelberg, Dr. Jochen Hess)



© PROGEN in cooperation with Uniklinik Heidelberg, Dr. Jochen Hess

IHC of human uvula (copyright: PROGEN in cooperation with Uniklinik Heidelberg, Dr. Jochen Hess)



© PROGEN in cooperation with Uniklinik Heidelberg, Dr. Jochen Hess

IHC of mouse heart (copyright: PROGEN in cooperation with Uniklinik Heidelberg, Dr. Jochen Hess)

References

Publication	Species	Application
Weiske, J. et al. The Fate of Desmosomal Proteins in Apoptotic Cells. J. Biol. Chem. 276, 41175–41181 (2001).	human	WB,ICC-IF
Schinner, C. et al. Stabilization of desmoglein-2 binding rescues arrhythmia in arrhythmic cardiomyopathy. JCI Insight. 5, (2020)	mouse	WB
Shafraz, O. et al. E-cadherin binds to desmoglein to facilitate desmosome assembly. Elife. 7, (2018).	human	ICC-IF
Dockhorn-dworniczak, b. et al. patterns of expression of cytoskeletal proteins in human thyroid gland and thyroid carcinomas. differentiation. 35, 53–71 (1987).	human	IHC (frozen)
Hatzfeld, M., Haffner, C., Schulze, K. & Vinzens, U. The Function of Plakophilin 1 in Desmosome Assembly and Actin Filament Organization. J. Cell Biol. 149, 209–222 (2000)	human	ICC-IF