

## Product datasheet

### anti-Hantavirus Puumala mouse monoclonal, A1C5, purified

#### Short overview

Cat. No.	A1C5-P
Quantity	100 µg
Concentration	100 µg/ml after reconstitution with 1 ml dist. water

#### Product description

Host	Mouse
Antibody Type	Monoclonal
Isotype	IgG1
Clone	A1C5
Immunogen	Recombinant Puumala nucleocapsid protein
Formulation	Lyophilized; reconstitute in 1 ml dist. water (final solution contains 0.09% sodium azide, 0.5% BSA in PBS buffer, pH 7.4)
Conjugate	Unconjugated
Purification	Affinity chromatography
Storage before reconstitution	2-8°C until indicated expiry date
Storage after reconstitution	Up to 3 months at 2-8°C; long term storage in aliquots at -20°C; avoid freeze/thaw cycles
Intended use	Research use only
Application	ICC/IF, IHC, WB
Reactivity	Puumala virus-infected cells

#### Applications

Immunocytochemistry (ICC)	1:50
Immunohistochemistry (IHC) - frozen	Assay dependent
Western Blot (WB)	Assay dependent

#### Background

A1C5 reacts with an epitope present on the N-terminus (between aa 15 and 35) of the nucleocapsid protein (S segment) of hantavirus CG 18-20 strain (Puumala serotype) and also cross-reacts with SNV (Sin Nombre virus) rN protein (Schmidt et al. 2005).

Schmidt, J., Meisel, H., Hjelle, B., Krueger, D. H. & Ulrich, R. Development and evaluation of serological assays for detection of human hantavirus infections caused by Sin Nombre virus. *J. Clin. Virol. Off. Publ. Pan Am. Soc. Clin. Virol.* 33, 247-53 (2005).

## Product images



anti-Hantavirus Puumala mouse monoclonal, A1C5, purified

## References

Publication	Species	Application
<a href="#"><u>KrautkrÃ¶mer, E. &amp; Zeier, M. Hantavirus Causing Hemorrhagic Fever with Renal Syndrome Enters from the Apical Surface and Requires Decay-Accelerating Factor (DAF/CD55). J. Virol. 82, 4257-4264 (2008).</u></a>	Hantavirus Puumala	WB
<a href="#"><u>HÃ¶gele, S. et al. Motility of human renal cells is disturbed by infection with pathogenic hantaviruses. BMC Infect Dis. 18, 645 (2018)</u></a>	Hantavirus Hantaan,Hantavirus Puumala	IF,WB
<a href="#"><u>Meisel, H. et al. Development of novel immunoglobulin G (IgG), IgA, and IgM enzyme immunoassays based on recombinant Puumala and Dobrava hantavirus nucleocapsid proteins. Clin. Vaccine Immunol. 13, 1349-57 (2006).</u></a>	Hantavirus Puumala	WB
<a href="#"><u>Zoller, L. G., Yang, S., Got, P., Bautz, E. K. F. &amp; Darai5, G. A Novel Âµ-Capture Enzyme-Linked Immunosorbent Assay Based on Recombinant Proteins for Sensitive and Specific Diagnosis of Hemorrhagic Fever with Renal Syndrome. J. Clin. Microbiol. 31, 1194-</u></a>	Hantavirus Puumala	ELISA