

## Product datasheet

### anti-Keratin Type II mouse monoclonal, AE3, purified

#### Short overview

|                      |                  |
|----------------------|------------------|
| <b>Cat. No.</b>      | 61806            |
| <b>Quantity</b>      | 1 ml (200 µg/ml) |
| <b>Concentration</b> | 200 µg/ml        |

#### Product description

|                      |   |
|----------------------|---|
| <b>Host</b>          | Mouse   |
| <b>Antibody Type</b> | Monoclonal  |
| <b>Isotype</b>       | IgG1  |
| <b>Clone</b>         | AE3   |
| <b>Immunogen</b>     | Human epidermal keratin   |
| <b>Formulation</b>   | PBS pH 7.4 with 0.09% sodium azide  |
| <b>Note</b>          | Centrifuge prior to opening   |
| <b>Conjugate</b>     | Unconjugated  |
| <b>Purification</b>  | Affinity chromatography   |
| <b>Storage</b>       | Short term at 2-8°C; long term storage in aliquots at -20°C; avoid freeze/thaw cycles |
| <b>Intended use</b>  | Research use only   |
| <b>Application</b>   | ICC/IF, IHC, WB   |
| <b>Reactivity</b>    | Bovine, Chicken, Human, Monkey, Mouse, Rabbit, Rat                                    |

#### Applications


|  |   |
|--|---|
| <b>Immunocytochemistry (ICC)</b>             | Assay dependent   |
| <b>Immunohistochemistry (IHC) - frozen</b>   | 1:200   |
| <b>Immunohistochemistry (IHC) - paraffin</b> | 1:200 (protease treatment and/or microwave treatment recommended) |
| <b>Western Blot (WB)</b>                     | Assay dependent   |

#### Background


AE 3 represents an excellent marker for distinguishing carcinoma from non-epithelial tumors. Tumors specifically detected: all epithelia and their neoplasms. Polypeptide reacting: Mr 53,000 to Mr 67,000 basic type II keratin polypeptides of human epithelial proteins (keratins - formerly also designated cytokeratins - nos. K1 - K8). Epitope has been mapped to aa 266-299 on alpha-helical rod domain (see Waseem et al., 2004). Reactivity on cultured cell lines: MCF-7, A-431, RT 112.

Waseem A, Karsten U, Leigh IM, Purkis P, Waseem NH, Lane BE: Conformational changes in the rod domain of human keratin 8 following heterotypic association with keratin 18 and its implication for filament stability. *Biochemistry* 43, 1283-1295 (2004)

## Product images




anti-Keratin Type II mouse monoclonal, AE3, purified




[OrÃ³s, J., LÃ³pez-YÃ¡inez, M., et al. Immunohistochemical staining patterns of alpha-keratins in normal tissues from two reptile species: implications for characterization of squamous cell carcinomas. BMC Vet Res. 2018-07-06.](#) Species/Reactant: ReptileApplications:

Immunohistochemistry-paraffinImage collected and cropped by CiteAb from the following publication, provided under a CC-BY licence.



[OrÃ³s, J., LÃ³pez-YÃ¡inez, M., et al. Immunohistochemical staining patterns of alpha-keratins in normal tissues from two reptile species: implications for characterization of squamous cell carcinomas. BMC Vet Res. 2018-07-06.](#) Species/Reactant: ReptileApplications:

Immunohistochemistry-paraffinImage collected and cropped by CiteAb from the following publication, provided under a CC-BY licence.



[OrÃ³s, J., LÃ³pez-YÃ¡inez, M., et al. Immunohistochemical staining patterns of alpha-keratins in normal tissues from two reptile species: implications for characterization of squamous cell carcinomas. BMC Vet Res. 2018-07-06.](#) Species/Reactant: ReptileApplications:

Immunohistochemistry-paraffinImage collected and cropped by CiteAb from the following publication, provided under a CC-BY licence.

## References

| Publication  | Species | Application    |
|--|---------|----------------|
| <a href="#">OrÃ³s, J. et al. Immunohistochemical staining patterns of alpha-keratins in normal tissues from two reptile species: implications for characterization of squamous cell carcinomas. BMC.Vet.Res. 14, 219 (2018).</a>                                   | reptile | IHC (paraffin) |
| <a href="#">Liang, F.-X. et al. Organization of uroplakin subunits: transmembrane topology, pair formation and plaque composition. Biochem. J. 355, 13â€“18 (2001).</a>  | mouse   | IHC (paraffin) |
| <a href="#">Nelson, W. G., Battifora, H. &amp; Sun, T. T. Specific Keratins as Molecular Markers for Neoplasms with a Stratified Epithelial Origin. Cancer Res. 44, 1600â€“1603 (1984).</a>  | human   | WB             |
| <a href="#">Weiss, R. A., Eichner, R. &amp; Sun, T. T. Monoclonal antibody analysis of keratin expression in epidermal diseases: A 48- and 56-kdalton keratin as molecular markers for hyperproliferative keratinocytes. J. Cell Biol. 98, 1397â€“1406 (1984).</a> | human   | WB             |
| <a href="#">Shi, S. R. et al. Immunohistochemical study of nasopharyngeal carcinoma using monoclonal keratin antibodies. Am. J. Pathol. 117, 53â€“63 (1984).</a>   | human   | IHC (paraffin) |

## References

| Publication  | Species | Application    |
|--|---------|----------------|
| <a href="#">OrÃ³s, J. et al. Immunohistochemical staining patterns of alpha-keratins in normal tissues from two reptile species: implications for characterization of squamous cell carcinomas. BMC.Vet.Res. 14, 219 (2018).</a> | reptile | IHC (paraffin) |
| <a href="#">Liang, F.-X. et al. Organization of uroplakin subunits: transmembrane topology, pair formation and plaque composition. Biochem. J. 355, 13â€“18 (2001).</a>  | mouse   | IHC (paraffin) |
| <a href="#">Nelson, W. G., Battifora, H. &amp; Sun, T. T. Specific Keratins as Molecular Markers for Neoplasms with a Stratified Epithelial Origin. Cancer Res. 44, 1600â€“1603 (1984).</a>                                      | human   | WB             |

|  |       |                |
|--|-------|----------------|
| <a href="#">Weiss, R. A., Eichner, R. &amp; Sun, T. T. Monoclonal antibody analysis of keratin expression in epidermal diseases: A 48- and 56-kdalton keratin as molecular markers for hyperproliferative keratinocytes. J. Cell Biol. 98, 1397-1406 (1984).</a> | human | WB             |
| <a href="#">Shi, S. R. et al. Immunohistochemical study of nasopharyngeal carcinoma using monoclonal keratin antibodies. Am. J. Pathol. 117, 53-63 (1984).</a>   | human | IHC (paraffin) |