

Product datasheet

anti-Keratin K5/K8 (Pan Epithelial) mouse monoclonal, RCK102, supernatant

Short overview

 Cat. No.
 10521

 Quantity
 1 ml

Product description

Host Mouse
Antibody Type Monoclonal
Isotype IgG1
Clone RCK102

ImmunogenLung cancer cell preparationFormulationContains 0.09% sodium azide

UniprotID Q7RTS7 (Human),Q922U2 (Mouse),A0A287BA49 (Pig),A0A286X8W5 (Guinea pig),A0A5F9C3E1

(Rabbit),Q6P6Q2 (Rat),Q6P6Q2 (Rat),P05787 (Human),P11679 (Mouse)

Synomym Keratin, type II cytoskeletal 74, Cytokeratin-74, CK-74, Keratin-5c, K5C, Keratin-74, K74, Type II

inner root sheath-specific keratin-K6irs4, Type-II keratin Kb37, KRT74, K6IRS4, KB37, KRT5C, KRT6IRS4, Keratin, type II cytoskeletal 8, Cytokeratin-8, CK-8, Keratin-8, K8, Type-II keratin Kb8,

KRT8, CYK8

Note Centrifuge prior to opening

Conjugate Unconjugated

Purification Hybridoma cell culture supernatant

Storage Short term at 2-8°C; long term storage in aliquots at -20°C; avoid freeze/thaw cycles

Intended use Research use only Application ICC/IF, IHC, WB

Reactivity Dog, Hamster, Human, Mouse, Pig, Rabbit, Rat

Applications

Immunocytochemistry (ICC) Assay dependent

Immunohistochemistry (IHC) - frozen 1:5-1:10

Immunohistochemistry (IHC) - paraffin 1:5-1:10 (microwave treatment recommended)

Western Blot (WB) Assay dependent

Background

Mab RCK 102, directed against the 58 kD and 52.2 kD keratin proteins (keratins K5 and K8; formerly also designated cytokeratins 5 and 8 in the Moll catalogue of keratins), reacts with all epithelial cell types. No reaction is observed in non-epithelial tissues. The antibody can be used for the discrimination of carcinomas from non-epithelial tumors such as lymphomas, sarcomas and neural tumors. RCK 102 is applicable on frozen and paraffin-embedded tissue. Formalin fixation may cause antigen denaturation or masking. Therefore, protease digestion is necessary prior to PROGEN Biotechnik GmbH | Maaßstraße 30 | D-69123 Heidelberg

antibody application.

Positive control: Skin, cervix.

Product images



anti-Keratin K5/K8 (Pan Epithelial) mouse monoclonal, RCK102, supernatant